

# Gaminio duomenų lentelė

Specifikacijos



impulse relay, Acti9 iTLK, 2NO, 16A, 230V, coil 230V, AC, 50Hz

A9C45216

## Main

Range of product	Acti9
Product name	Acti9 iTLK
Product or component type	Impulse relay
Device short name	iTLK
Device application	Standard
Poles	2P
Pole contact composition	2 NO
[In] rated current	16 A
Network type	AC
[Uc] control circuit voltage	230...240 V AC 50/60 Hz 110 V DC

## Complementary

Network frequency	50/60 Hz
[Ue] rated operational voltage	250 V AC 50/60 Hz
Control type	Remote and manual control Coil disconnection
Control signal type	Impulse
Switching frequency	5 switching operations/minute 100 switching operations/day
Impulse duration	50 ms...1 s
Remote control type	Illuminated push-button 3 mA
Local signalling	ON/OFF indication
Mounting mode	Fixed
Mounting support	DIN rail
9 mm pitches	2
Height	84 mm
Width	18 mm
Depth	60 mm
Electrical durability	AC-21 150000 cycles AC-22 100000 cycles

<b>Connections - terminals</b>	Control circuit tunnel type terminals 1 0,5...4 mm <sup>2</sup> rigid Control circuit tunnel type terminals 1 0,5...4 mm <sup>2</sup> rigid with cable end Control circuit tunnel type terminals 1 1...4 mm <sup>2</sup> flexible Control circuit tunnel type terminals 1 1...4 mm <sup>2</sup> flexible with ferrule Power circuit tunnel type terminals 1 1,5...4 mm <sup>2</sup> rigid Power circuit tunnel type terminals 1 1,5...4 mm <sup>2</sup> rigid with cable end Power circuit tunnel type terminals 1 1,5...4 mm <sup>2</sup> flexible Power circuit tunnel type terminals 1 1,5...4 mm <sup>2</sup> flexible with ferrule
--------------------------------	--

<b>Wire stripping length</b>	11 mm
------------------------------	-------

<b>Tightening torque</b>	1 N.m
--------------------------	-------

## Environment

<b>Standards</b>	EN 669-1 EN 669-2-2
------------------	------------------------

<b>Product certifications</b>	GOST
-------------------------------	------

<b>Quality labels</b>	NF CEBEC KEMA VDE IMQ
-----------------------	-----------------------------------

<b>Noise level</b>	60 dB
--------------------	-------

<b>IP degree of protection</b>	IP20 IEC 60529 on opening) IP40 IEC 60529 in enclosure)
--------------------------------	--

<b>Pollution degree</b>	3
-------------------------	---

<b>Tropicalisation</b>	2
------------------------	---

<b>Relative humidity</b>	95 % 55 °C
--------------------------	------------

<b>Ambient air temperature for operation</b>	-20...50 °C
--	-------------

<b>Ambient air temperature for storage</b>	-40...70 °C
--	-------------

## Pakavimo vienetai

<b>Pirmos pakuotės vieneto tipas</b>	PCE
--------------------------------------	-----

<b>Vienetų skaičius 1 pakuotėje</b>	1
-------------------------------------	---

<b>1-os pakuotės aukštis</b>	2,0 cm
------------------------------	--------

<b>1-os pakuotės plotis</b>	7,5 cm
-----------------------------	--------

<b>1-os pakuotės ilgis</b>	8,5 cm
----------------------------	--------

<b>1-os pakuotės svoris</b>	111,0 g
-----------------------------	---------

<b>Antros pakuotės vieneto tipas</b>	BB1
--------------------------------------	-----

<b>Vienetų skaičius 2 pakuotėje</b>	12
-------------------------------------	----

<b>2-os pakuotės aukštis</b>	8,5 cm
------------------------------	--------

<b>Package 2 Width</b>	9,0 cm
------------------------	--------

<b>2-os pakuotės ilgis</b>	22,0 cm
----------------------------	---------

<b>2-os pakuotės svoris</b>	1,385 kg
-----------------------------	----------

<b>Trečios pakuotės vieneto tipas</b>	S03
---------------------------------------	-----

<b>Vienetų skaičius 3 pakuotėje</b>	96
-------------------------------------	----

<b>3-ios pakuotės aukštis</b>	30,0 cm
-------------------------------	---------

<b>3-ios pakuotės plotis</b>	30,0 cm
------------------------------	---------

<b>3-ios pakuotės ilgis</b>	40,0 cm
-----------------------------	---------

<b>3-ios pakuotės svoris</b>	11,501 kg
------------------------------	-----------

## Offer Sustainability

<b>Tvaraus pasiūlymo statusas</b>	„Green Premium“ gaminys
<b>REACH direktyva</b>	<a href="#">REACH deklaracija</a>
<b>ES RoHS direktyva</b>	Atitinka <a href="#">ES RoHS deklaracija</a>
<b>Be gyvsidabrio</b>	Taip
<b>Kinijos RoHS direktyva</b>	<a href="#">Kinijos RoHS deklaracija</a> Produktas neįeina į Kinijos RoHS apimtį. Medžiagų deklaracija pateikiama jūsų informacijai.
<b>RoHS išimčių informacija</b>	Taip
<b>Aplinkosauginės informacijos atskleidimas</b>	<a href="#">Produkto aplinkosaugos profilis</a>
<b>WEEE</b>	Šį produktą Europos Sąjungos rinkose reikia utilizuoti perduodant į specialias surinkimo vietas ir negalima išmesti su buitineis atliekomis.

Rekomenduojamas (-i) pakeitimas (-ai)