




---

 PRODUCT-DETAILS

## TAC-W11-G5-RD-M-0

TAC-W11-G5-RD-M-0 Terra AC wallbox type 2, 5 m cable, 3-phase/16 A, MID certified, with RFID and display




---

### General Information

Extended Product Type	TAC-W11-G5-RD-M-0
Product ID	6AGC105901
EAN	8719874452816
Alternative Product Reference	3Q510001902A
Catalog Description	TAC-W11-G5-RD-M-0 Terra AC wallbox type 2, 5 m cable, 3-phase/16 A, MID certified, with RFID and display
Long Description	Terra AC wallbox type 2, 5 m cable, 3-phase/16 A, MID certified, with RFID and display

---

### Technical

EV Connectors	(AC Type 2) 1 piece
Number of Socket Outlets	Cable only
Cable Length	5 m
Output Power	Nominal 11 kW
Output Voltage (U <sub>out</sub> )	AC 3-phase 320 ... 480 V
Output Current Maximum (I <sub>out</sub> )	AC 3-phase 16 A

Connection Power	Nominal 11 kW
Input Voltage (U <sub>in</sub> )	AC 3-phase 380 ... 420 V
Input Current	3-phase 16 A
Frequency (f)	50 ... 60 Hz
Number of Phases	3
Number of RCDs Electric Vehicle Supply Equipment	Resid. Curr. Monitor
Number of Miniature Circuit Breakers (MCBs)	Integrated breaker
Overvoltage Category	III
Overload Protection	Overcurrent protection at 20 A
Cross-Section	2.5 mm
Maximum Operating Altitude Permissible	2000 m
Communication Interface	Wi-Fi Ethernet Bluetooth Modbus
Communication Protocol	OCPP 1.6
Load Management Method	OCPP - Based
Authentication Method	RFID App Free Vending
Energy Meter Type	AC-MID
Screen Size	3.5 in
Mounting Type	Wall mounting
Housing Material	Plastic
Degree of Protection	acc. to IEC 60529 IP54
Impact Resistance Rating	IK08
Technical Information	Features: DC residual current detection Contactor welding detection Networkable via LAN Networkable via Wi-Fi Long-Term Evolution (LTE) Static load management integrated Suitable for dynamic load management With Display Operation and configuration by app Export of charging logs Backend included in delivery

## Dimensions

Product Net Width	195 mm
Product Net Depth / Length	320 mm
Product Net Height	110 mm
Product Net Weight	4.5 kg
Package Level 1 Units	carton 1 piece
Package Level 1 Width	350 mm
Package Level 1 Height	350 mm
Package Level 1 Depth / Length	450 mm
Package Level 1 Gross Weight	6 kg
Package Level 1 EAN	8719874452816

Package Level 2 Units	pallet (lift) 18 piece
Package Level 2 Width	960 mm
Package Level 2 Height	1200 mm
Package Level 2 Depth / Length	1130 mm
Package Level 2 Gross Weight	126.9 kg

---

## Ordering

Country of Origin	China (CN)
Customs Tariff Number	85371091
Selling Unit of Measure	piece
Minimum Order Quantity	6 piece
Order Multiple	6 piece
EAN	8719874452816
ETIM 9	EC002883 - Charging device E-Mobility
UNSPSC	25175002
IDEA Granular Category Code (IGCC)	1311 >> Electric vehicle charging station

---

## Additional Information

Declaration of Conformity - CE	9AKK107991A0511
RoHS Status	Following EU Directive 2011/65/EU and Amendment 2015/863 July 22, 2019
WEEE Category	5. Small Equipment (No External Dimension More Than 50 cm)
Standards	EN 61851-1 EN 61851-23 EN 61000-6-2 EN 61000-6-3 EN 301 908-2 IEC 60721-3-2: IE23 RoHS

---

## Categories

Electric Vehicle Charging → Home Charging Products, AC and DC Wallboxes and Chargers → Global AC Chargers

